

# Edgeless Cove LED

Submittal - Pattern 2 Sided Coffered



Project Name \_\_\_\_\_ SO# \_\_\_\_\_

Fixture Type \_\_\_\_\_ PO# \_\_\_\_\_



## Ordering Information

Model	Type	Length	LED <sup>3</sup>	Color	Voltage	Power	Diffuser	Mount	Options <sup>2</sup>
WG-EC	PC							P	
WG-EC	PC <sup>2</sup>	A x B	L M H	827 830 835 840 927 930 935 940	UNV       120	S D010 D3W DES   DFPN	S (STD) OF SF	P	LEC REC LREC LWR RWR



### Luminaire

- Indirect cove system featuring plaster-in precision knife edge for clean, minimal effect.
- White LED light source.
- Lengths and angles factory cut to exact field dimensions.
- Powder coat painted white - RAL 9010.
- Snap-on satin diffuser optimized for forward distribution (standard).

### Type

- PC = Standard patterns coffer 2, 3 or 4

### Length

- A, B, C = specify feet & inches to the nearest 0.25" (i.e. 6'5.5")

### LED<sup>3</sup>

- L = Low Power (3W/ft)
- M = Mid Power (6W/ft)
- H = High Power (10W/ft)

### Color / Lumens

80+ CRI minimum

- 827 = 2700K
- 830 = 3000K
- 835 = 3500K
- 840 = 4000K
- For 90+ CRI specify 927, 930, etc

### Voltage

- UNV = 120-277V
- 120 = 120V (DFPN only)

### Power Supply (integral)

- S = Standard driver, 120-277V
- D010 = Osram, 10%, 0-10V dimming, 120-277V
- D3W = Lutron, 1%, 3-wire fluorescent dimming, 120-277V
- DES = Lutron, 1%, EcoSystem E1/E2 digital dimming, 120-277V
- DFPN = Lutron 1% forward phase with neutral, 120V only

### Diffuser

- S = Snap-on satin diffuser (standard)
- OF = Opal flat diffuser
- SF = Satin flat diffuser

### Mounting

- P = Plaster-in

### Options<sup>2</sup>

- LEC = Left end cap
- REC = Right end cap
- LREC = Left & Right end caps
- LWR = Left wall return
- RWR = Right wall return
- Contact factory for emergency lighting options

- 1 Standard setup assumes the cove ends at a perpendicular wall and the led board is set back from the end to minimize light on the perpendicular wall. Contact us for options.
- 2 See pattern specsheet.
- 3 Wattage shown does not include power supplies/drivers.

## Customer Approval

Company \_\_\_\_\_

Approved

Signature \_\_\_\_\_

Approved with corrections noted

Print Name \_\_\_\_\_

Revise and Resubmit

Date \_\_\_\_\_

Original Submission Date \_\_\_\_\_

# Edgeless Cove LED

Submittal - Pattern 2 Sided Coffered

Project Name \_\_\_\_\_ SO# \_\_\_\_\_

Fixture Type \_\_\_\_\_ PO# \_\_\_\_\_

System	Qty.	Overall Length	
		'A'	'B'
1	_____	_____	_____
2	_____	_____	_____
3	_____	_____	_____
4	_____	_____	_____

**Customer Approval** Company \_\_\_\_\_

Approved Signature \_\_\_\_\_

Approved with corrections noted Print Name \_\_\_\_\_

Revise and Resubmit Date \_\_\_\_\_

\* overall length of finished mounting surface

