





Project Name \_\_\_\_\_ SO # \_\_\_\_\_ PO# \_\_\_\_\_ Fixture Type \_\_\_\_\_



cut-out dimensions 1.5" wide X length + 1/4"



### Ordering Information

Model	Type	Length	LED <sup>2</sup>	Color	Voltage	Power	Diffuser	Mount	Options
WG-P20LDL	P							P	
WG-P20LDL	P <sup>1</sup>	A x B x C A x B x A	L M	827 830 835 840 927 930 935 940	UNV       120	S D010 D3W DES   DFPN	OD SD	P	C4 C10 C20 C30 WL

### Luminaire

- Thinner than 5/8" drywall depth.
- Continuous, evenly illuminated snap-in lens without visible LED pattern.
- Standard Opal Diffuser for even illumination, Satin Diffuser for high efficiency and minimal LED appearance.
- Field replaceable LED boards.
- 80+ CRI, 3 steps MacAdam.
- Lengths and angles factory cut to exact field dimensions.
- Standard and custom corners.
- Powder coat painted white - RAL 9010.
- 4' class 2 plenum rated feed cable standard.

### Type

- P = Standard patterns 2, 3 or 4 sided with 90° corners<sup>1</sup>

### Length

- A, B, C = specify feet & inches to the nearest 0.25" (i.e. 6' 5.5")

### LED

- L = Low Power (3.2W/ft)
- M = Mid Power (6.4W/ft)

### Color

- 80+ CRI minimum
- 827 = 2700K
- 830 = 3000K
- 835 = 3500K
- 840 = 4000K
- For 90+ CRI specify 927, 930, etc

### Voltage

- UNV = 120 - 277V
- 120 = 120V (DFPN only)

### Power Supply (remote)

- S = standard driver 120-277V
- D010 = Osram, 10%, 0-10V dimming, 120-277V
- D3W = Lutron, 1%, 3-wire fluorescent dimming, 120-277V
- DES = Lutron, 1%, EcoSystem E1/E2 digital dimming, 120-277V
- DFPN = Lutron 1% forward phase with neutral, 120V only

### Diffuser

- OD = Opal diffuser (standard)
- SD = Satin diffuser

### Mounting

- P = plaster-in

### Options

- C10 = 10' tray cable (plenum rated)
- C20 = 20' tray cable (plenum rated)
- C30 = 30' tray cable (plenum rated)
- WL = wet location (protected ceiling applications)
- Contact factory for emergency lighting options
- 1 See pattern specsheet.
- 2 Wattage shown does not include power supplies/drivers.

### Customer Approval

Company \_\_\_\_\_

Approved

Approved with corrections noted

Revise and Resubmit

Signature \_\_\_\_\_

Print Name \_\_\_\_\_

Date \_\_\_\_\_

Original Date Submitted \_\_\_\_\_



