


Silicone_C 36 LEDs/ft | LED strip | Wet location | stripLED 4.4 W/ft 24 V



Cable 11.8 in supplied with product;
Female end connector



CRI 80 - 4.4 W/ft

196.9 in	E62403	7230 lm	3000 K
196.9 in	E62403N	7495 lm	4000 K

Power supply options (remote only)


OT96-D010


Osram, 10% 0-10V dim, 96W, 24V DC, 120-277VAC, supplied in a Dry location


OT96-JBX

Osram, Non-dim 24V DC, 120-277VAC, Wet location

Silicone_C Basic RGB 18 LEDs/ft | LED strip | Wet location | stripLED 4.4 W/ft 24 V



 Cable 78.7 in supplied with product;
Female end connector
RGB



CRI 80

196.9 in	E98033	RGB
----------	---------------	-----

Power supply options (remote only)

EL96-DMX

LED Driver 96W, 24VDC, 120-277VAC, +EldoLED LINEARdrive LIN100D2 DMX/Sequencer Interface for RGB fixtures, remote mounted, supplied in a Dry Location Enclosure. DMX Control not included/ order separately.

Silicone_C | Fixing kit



features

- 1 x Glue
- 20 x Brackets
- 40 x M3x25 screws
- 10 x Caps

suitable for

196.9 in Silicone_C **E98373**

Silicone_C | Fixing brackets



features

- 10 x Brackets
- 20 x M3x25 screws

suitable for

196.9 in Silicone_C **E89223**

technical information

LED Strips | IP66 cable

connector	sec. Ø	available for	in	
1 M	0.08 x 0.03 in ²	Silicone_C mono	39.4 in	E89629

RGB Strips | IP66 cable

connector	sec. Ø	available for	in	
1 M	0.16 x 0.01 in ²	Silicone_C RGB	78.7 in	E89630

Low surface profile | Indoor LED Strips




Compatible with
Ribbon - Ribbon slim
Dropper

type	L in		
Anod. AL	78.7 in	Profile	E98891
Transp.	78.7 in	Diffuser	E98941
Satinized	78.7 in	Diffuser	E98942
Opaline	78.7 in	Diffuser	E98943
	2 x	Caps	E98892
	5 x	Brackets	E98944

KIT composition

1 x	E98891-E98943-E98892-E98944	E98954
10 x	E98891-E98943	E98955



High surface profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon slim
Dropper
Silicone_C

type	L in		
Anod. AL	78.7 in	Profile	E98893
Transp.	78.7 in	Diffuser	E98941
Satinized	78.7 in	Diffuser	E98942
Opaline	78.7 in	Diffuser	E98943
	2 x	Caps	E98894
	5 x	Brackets	E98944


Square surface profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon slim
Dropper

type	L in		
Anod. Al.	78.7 in	Profile	E98929
Opaline	78.7 in	Diffuser	E98930
	2 x	Caps	E98932
	5 x	Brackets	E98931



Corner profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon slim
Dropper

type	L in		
Anod. Al.	78.7 in	Profile	E98903
Transp.	78.7 in	Diffuser	E98941
Satinized	78.7 in	Diffuser	E98942
Opaline	78.7 in	Diffuser	E98943
	2 x	Caps	E98905
	5 x	Brackets	E98904

Small recessed profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon slim
Dropper

type	L in		
Anod. Al.	78.7 in	Profile	E98895
Transp.	78.7 in	Diffuser	E98941
Satinized	78.7 in	Diffuser	E98942
Opaline	78.7 in	Diffuser	E98943
	2 x	Caps	E98896
	5 x	Brackets	E98944

KIT composition

1 x	E98895-E98943-E98896-E98944	E98965
-----	-----------------------------	---------------



Recessed profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon slim
Dropper
Silicone_C

type	L in		
Anod. Al.	78.7 in	Profile	E98897
Transp.	78.7 in	Diffuser	E98898
Satinized	78.7 in	Diffuser	E98899
Opaline	78.7 in	Diffuser	E98900
	2 x	Caps	E98902
	5 x	Brackets	E98901



False-ceilings integrated profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon slim
Dropper
Silicone_C

type	L in		
Anod. Al.	78.7 in	Profile	E98906
Transp.	78.7 in	Diffuser	E98898
Satinized	78.7 in	Diffuser	E98899
Opaline	78.7 in	Diffuser	E98900
	2 x	Caps	E98907




Plaster In linear profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon slim
Dropper

type	L in		
Anod. AL	78.7 in	Profile	E98916
Opaline	78.7 in	Diffuser	E98917
	2 x	Caps	E98918



Plaster In corner profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon slim
Dropper

type	L in		
Anod. AL	78.7 in	Profile	E98919
Opaline	78.7 in	Diffuser	E98917
	2 x	Caps	E98920


Plaster In side profile | Indoor LED Strips




Compatible with
Ribbon - Ribbon slim
Dropper

type	L in		
Anod. AL	78.7 in	Profile	E98921
Opaline	78.7 in	Diffuser	E98917
	2 x	Caps	E98922

High slim surface profile | Indoor LED Strips



type	L in		
Anod. Al.	78.7 in	Profile	E98908
Opaline	78.7 in	Diffuser	E98909
	2 x	Caps	E98911
	5 x	Brackets	E98910



Compatible with
Ribbon slim

Square slim surface profile | Indoor LED Strips



type	L in		
Anod. Al.	78.7 in	Profile	E98912
Opaline	78.7 in	Diffuser	E98913
	2 x	Caps	E98915
	5 x	Brackets	E98914




Compatible with
Ribbon slim

Low slim surface profile | Indoor LED Strips




type	L in		
Anod. Al.	78.7 in	Profile	E98885
Transp.	78.7 in	Diffuser	E98886
Satinized	78.7 in	Diffuser	E98887
Opaline	78.7 in	Diffuser	E98888
	2 x	Caps	E98890
	5 x	Brackets	E98889



Compatible with
Ribbon slim

Flat surface profile | Indoor LED Strips




type	L in		
Anod. AL	78.7 in	Profile	E98937
Opaline	78.7 in	Diffuser	E98938
	2 x	Caps	E98940
	5 x	Brackets	E98939



Compatible with
Ribbon - Ribbon slim

Surface profile | Indoor LED Strips




type	L in		
Anod. AL	78.7 in	Profile	E98419
Opaline	78.7 in	Diffuser	E98395
	2 x	Caps	E98418
	5 x	Brackets	E98420



Compatible with
Ribbon - Ribbon slim
Dropper
Silicone_C

Slim profile kit | Indoor LED Strips



type	L in		
Anod. AL	78.7 in		E63560L02

Compatible with
Ribbon
Dropper

Heat sink | Indoor LED Strips



type	L in		
Anod. AL	78.7 in	Dissipatore - Heat sink	E98956

Compatible with
Ribbon - Ribbon slim
Dropper
Silicone_C