

Eyelet65

inter•lux



Directional spotlights with an extremely compact size, **mounted on a bracket**. Available in round or square version.

Compact size


Utmost flexibility of application

Practical installation

Easy installation thanks to the practical directional bracket



Eyelet65_R | Outdoor Projector | powerLED 2W 630 mA



type

White	CRI 80	E91214
Black	CRI 80	E91215
Grey	CRI 80	E91216

color


2700 K	219 lm	M
3000 K	233 lm	W
4000 K	249 lm	N

optic

15°	15
30°	30
60°	60


power supply options (remote only)

ECO30W-630 0-10V EidoLED ECOdrive 30W, for 1-10 fixtures	SOLO50W-630 0-10V EidoLED SOLOdrive 50W, for 1-16 fixtures	SOLO100W-630 0-10VEidoLED SOLOdrive 100W, for 1-32 fixtures
--	--	---



98624 6.3 in Steel peg	98669 27.6 in Steel peg
-------------------------------------	--------------------------------------

Eyelet65_Q | Outdoor Projector | powerLED 2W 630 mA



type

White	CRI 80	E91217
Black	CRI 80	E91219
Grey	CRI 80	E91220

color

2700 K	219 lm	M
3000 K	233 lm	W
4000 K	249 lm	N

optic

15°	15
30°	30
60°	60

power supply options (remote only)

ECO30W-630 0-10V EidoLED ECOdrive 30W, for 1-10 fixtures	SOLO50W-630 0-10V EidoLED SOLOdrive 50W, for 1-16 fixtures	SOLO100W-630 0-10VEidoLED SOLOdrive 100W, for 1-32 fixtures
--	--	---



98624 6.3 in Steel peg	98669 27.6 in Steel peg
-------------------------------------	--------------------------------------