

periskop



Aquastop®




The Periskop outdoor spot is perfect for highlighting individual items. The recessed lens ensures maximum visual comfort, and the aluminum bracket allows the body to be rotated by around 180 degrees to get the end result just right. Periskop is available with spot, flood, and medium flood optics, which can be integrated with accessories to control the beam.

Materials

Aluminum body

Extra-clear tempered glass diffuser



periskop range





	1.8 in	3 in	4.3 in	6.4 in
Periskop				
Power	6W	8W	17W	33 - 50W
Accessories	-			
Optics	Spot Medium Flood Flood	Spot Medium Flood Flood	Spot Medium Flood Flood	Spot Medium Flood Flood
Periskop Narrow				
Power	6W	9W	18W	48W
Accessories	-			
Optics	Narrow Spot	Narrow Spot	Narrow Spot	Narrow Spot
Finish				
CCT	2700K 3000K 4000K RGB (4.5 W)	2700K 3000K 4000K RGBW (8 W)	2700K 3000K 4000K RGBW (18 W)	2700K 3000K 4000K RGBW (45 W)
Driver	0-10 V	0-10 V	0-10 V	0-10 V

periskop accessories

Outdoor accessories - Anti-glare

Anti-glare accessories are conceived to reduce light glare. These accessories are made of black painted aluminum.







Indoor accessories - Honeycomb louvre and elliptic filter


The honeycomb louvre accessory was conceived to reduce light glaring. The elliptic filter allows to create ovalized projections. Available upon request only.



E81168W08



Periskop | Accent lighting | powerLED | Wet location | Driver remote | Tilttable | 6W 500mA



CRI 80

White	E90519	2700K	659 lm	M	Spot	15
Black	E90520	3000K	659 lm	W	Medium Flood	30
Grey	E90521	4000K	711 lm	N	Flood	60
Col-Ten	E90522					



Accessories



Power supply options (remote only)

ECO30W-500 0-10V EldoLED ECOdrive 30W for 1-3 fixtures	SOLO50W-500 0-10V EldoLED SOLOdrive 50W for 1-6 fixtures	SOLO100W-500 0-10V EldoLED SOLOdrive 100W for 1-12 fixtures
---	---	--

Periskop Narrow | Accent lighting | powerLED | Wet location | Driver remote | Tilttable | 6W 500mA



CRI 80

White	E81788	2700K	659 lm	M	Narrow Spot	08
Black	E81789	3000K	659 lm	W		
Grey	E81790	4000K	711 lm	N		
Col-Ten	E81791					


Accessories



Power supply options (remote only)

ECO30W-500 0-10V EldoLED ECOdrive 30W for 1-3 fixtures	SOLO50W-500 0-10V EldoLED SOLOdrive 50W for 1-6 fixtures	SOLO100W-500 0-10V EldoLED SOLOdrive 100W for 1-12 fixtures
---	---	--

Periskop RGB | Accent lighting | powerLED | Wet location | Driver remote | Tilttable | 4.5W 500mA



CRI 80

White	E95068	RGB	Z	Spot	15
Black	E95126			Flood	60
Grey	E95141				
Col-Ten	E95330				


Accessories



Power supply options (remote only)

PWR50W - 500
DMX driver,
EldoLED POWERdrive 50W Factory pre-programmed or RDM programmable, DMX control not included/Ordered separately
50W for 1 Fixture

Periskop | Accent lighting | arrayLED | Wet location | Driver remote | Tilttable | 6.5W 700mA



CRI 80

White	E95346	2700K	770 lm	M	Spot	15
Black	E95347	3000K	770 lm	W	Medium Flood	30
Grey	E95348	4000K	831 lm	N	Flood	60
Cor-Ten	E95349					


Power supply options (remote only)

ECO30W-700 0-10V EldoLED ECOdrive 30W for 1-3 fixtures	SOLO50W-700 0-10V EldoLED SOLOdrive 50W for 1-6 fixtures	SOLO100W-700 0-10V EldoLED SOLOdrive 100W for 1-12 fixtures
---	---	--

Accessories

E98549 Pegs	E99802 Tree belt 196.9 inches long	E98966 Anti-glare screen	E98969 Anti-glare pipe	On request Honey-comb	On request Elliptical filter
-----------------------	---	------------------------------------	----------------------------------	---------------------------------	--

Periskop Narrow | 190-240V | Accent lighting | powerLED | Wet location | Driver remote | Tilttable | 8W 700mA



CRI 80

White	E81160	2700K	854 lm	M	Narrow Spot	08
Black	E81161	3000K	854 lm	W		
Grey	E81162	4000K	922 lm	N		
Cor-Ten	E81163					


Power supply options (remote only)

ECO30W-700 0-10V EldoLED ECOdrive 30W for 1-3 fixtures	SOLO50W-700 0-10V EldoLED SOLOdrive 50W for 1-4 fixtures	SOLO100W-700 0-10V EldoLED SOLOdrive 100W for 1-8 fixtures
---	---	---

Accessories

E98549 Pegs	E99802 Tree belt 196.9 inches long	E98966 Anti-glare screen
-----------------------	---	------------------------------------

Periskop RGBW | Accent lighting | powerLED | Wet location | Driver remote | Tilttable | 8W 630mA



CRI 80

White	E81493	RGBW natural white	Q	Narrow Spot	06
Black	E81494	RGBW warm white	V	Spot	15
Grey	E81495			Flood	45
Cor-Ten	E81496				


Accessories

E98549 Pegs	E99802 Tree belt 196.9 inches long	E98966 Anti-glare screen
-----------------------	---	------------------------------------

Power supply options (remote only)

PWR50W - 630
DMX driver, EldoLED POWERdrive 50W Factory pre-programmed or RDM programmable, DMX control not included/Ordered separately 50W for 1 Fixture

Periskop | Accent lighting | arrayLED | Wet location | Driver remote | Tilttable | 18W



CRI 80

White	E95366	2700K	2349 lm	M	Spot	15
Black	E95368	3000K	2510 lm	W	Medium Flood	30
Grey	E95370	4000K	2510 lm	N	Flood	60
Col-Ten	E95378					



Power supply options (remote only)

ECO30W-500 0-10V EldoLED ECOdrive 30W for 1 fixture	SOLO50W-500 0-10V EldoLED SOLOdrive 50W for 1-2 fixtures	SOLO100W-500 0-10V EldoLED SOLOdrive 100W for 1-4 fixtures
--	---	---

Accessories

E98549 Pegs	E99802 Tree belt 196.9 inches long	E98967 Anti-glare screen	E98970 Anti-glare pipe	On request Anti-glare pipe	On request Elliptical filter
-----------------------	---	------------------------------------	----------------------------------	--------------------------------------	--

Periskop Narrow | 190-240 V | Accent lighting | 3 x powerLEDs | Wet location | Driver remote | Tilttable | 18W DC - 20W AC



CRI 80

White	E81164	2700K	1977 lm	M	Narrow Spot	08
Black	E81165	3000K	1977 lm	W		
Grey	E81166	4000K	2133 lm	N		
Col-Ten	E81167					


Power supply options (remote only)

ECO30W-500 0-10V EldoLED ECOdrive 30W for 1 fixture	SOLO50W-500 0-10V EldoLED SOLOdrive 50W for 1-2 fixtures	SOLO100W-500 0-10V EldoLED SOLOdrive 100W for 1-4 fixtures
--	---	---

Accessories

E98549 Pegs	E99802 Tree belt 196.9 inches long	E98967 Anti-glare screen
-----------------------	---	------------------------------------

Periskop RGBW | Accent lighting | arrayLED | Wet location | Driver remote | Tilttable | 18W 500mA



CRI 80

White	E81497	RGBW warm white	V	Spot	15
Black	E81498			Medium Flood	30
Grey	E81499			Flood	60
Col-Ten	E81500				


Accessories

E98549 Pegs	E99802 Tree belt 196.9 inches long	E98967 Anti-glare screen
-----------------------	---	------------------------------------

Power supply options (remote only)

PWR50W - 500
DMX driver,
EldoLED POWERdrive 50W Factory pre-programmed or RDM
programmable, DMX control not included/Ordered separately
50W for 1 Fixture

Periskop | Accent lighting | arrayLED | Wet location | Driver remote | Tilttable



30W DC - CRI 80

White	E81367	2700K	3991 lm	M	Spot	20
Black	E81368	3000K	4270 lm	W	Medium Flood	30
Grey	E81369	4000K	4588 lm	N	Flood	60
Cor-Ten	E81370					

46W DC - CRI 80

White	E80383*	2700K	6153 lm	M	Spot	20
Black	E80384*	3000K	6153 lm	W	Medium Flood	30
Grey	E80385*	4000K	7074 lm	N	Flood	60
Cor-Ten	E80386*					

Power supply options (remote only)

SOLO50W-840

0-10V EldoLED ECOdrive
30W for 1 fixture

SOLO100W-840

0-10V EldoLED SOLOdrive
50W for 1-2 fixtures



SOLO100W-1300*

0-10V EldoLED SOLOdrive
100W for 1 fixture

Accessories

E98549 Pegs	On request Tree belt 196.9 inches long	E98968 Anti-glare screen	E98971 Anti-glare pipe	On request Anti-glare pipe	On request Elliptical filter

Periskop Narrow | Accent lighting | 9 x powerLEDs | Wet location | Driver remote | Tilttable | 46W



CRI 80

White	E81168	2700K	5243 lm	M	Narrow Spot	08
Black	E81169	3000K	5243 lm	W		
Grey	E81170	4000K	5660 lm	N		
Cor-Ten	E81171					

Power supply options (remote only)

SOLO100W-1300

0-10V EldoLED SOLOdrive
100W for 1 fixture

Accessories

E98549 Pegs	On request Tree belt	E98968 Anti-glare screen