



Luminaire		Measurem.		Source	
Code	64734N00	Code	1	Code	LED Array Citizen
Name	RYO - Terra - Finitura: grigio RAL9006 goffrato - Montaggio: RYCE 20W - Finitura: grigio RAL9006 goffrato - Montaggio: RYCE 20W	Name	RYCE 20W	Name	LED 9W
Line	Eulmdat	Date	01-10-2015	Position	
Luminaire Flux	1054 lm	Luminaire Power	10.0 W	Efficacy	105.400 lm/W
Source Flux	1054 lm	Maximum value	1581.39 cd/klm	Position	C=90.00 G=5.00
				CG	Asymmetrical

US ROAD STANDARDS



Luminaire Classification System (LCS)				
LCS Zone		Lumens	%Lamp	%Lum
FL	0° -- 30°	272.9 lm	25.9 %	25.9 %
FM	30° -- 60°	542.7 lm	51.5 %	51.5 %
FH	60° -- 80°	189.6 lm	18.0 %	18.0 %
FVH	80° -- 90°	22.1 lm	2.1 %	2.1 %
BL	0° -- 30°	8.7 lm	0.8 %	0.8 %
BM	30° -- 60°	7.5 lm	0.7 %	0.7 %
BH	60° -- 80°	7.0 lm	0.7 %	0.7 %
BVH	80° -- 90°	3.5 lm	0.3 %	0.3 %
UL	90° -- 100°	0.0 lm	0.0 %	0.0 %
UH	100° -- 180°	0.0 lm	0.0 %	0.0 %
TOTALS		1054.0 lm	100.0 %	100.0 %
BUG B0 U0 G1 Type I Very Short Asymmetrical				