

Mongolfier



inter•lux

Refined lightness wrapping lines. Organic self-wrapped structure, available in two finishes: matt black coated metal or black and pink gold nickel glossy finish.





Mongolfier_P1 | Pendant luminaires | arrayLED 9.5W




INTEGRAL POWER SUPPLY:



type	color	optics	driver
Black CRI 90 E8140	3000K 1400 lm	diffused	Non-dim ID-S (integral) 120/277V
Rose G. CRI 90 E8141			
Bl. Nic. CRI 90 E8142			

REMOTE POWER SUPPLY:




type	color	optics
Black CRI 90 E8140	3000K 1400 lm	diffused
Rose G. CRI 90 E8141		
Bl. Nic. CRI 90 E8142		

power supply options (remote only)


ECO30W-250

0-10V EldoLED
ECOdrive 30W,
for 1 fixture

Mongolfier_P2 | Pendant luminaires | arrayLED 9.5W




INTEGRAL POWER SUPPLY:



type	color	optics	driver
Black CRI 90 E8144	3000K 1400 lm	diffused	Non-dim ID-S (integral) 120/277V
Rose G. CRI 90 E8145			
Bl. Nic. CRI 90 E8146			

REMOTE POWER SUPPLY:




type	color	optics
Black CRI 90 E8144	3000K 1400 lm	diffused
Rose G. CRI 90 E8145		
Bl. Nic. CRI 90 E8146		

power supply options (remote only)

ECO30W-250

0-10V EldoLED
ECOdrive 30W,
for 1 fixture

Mongolfier_P3 | Pendant luminaires | arrayLED 22W




INTEGRAL POWER SUPPLY:



type	color	optics	driver
Black CRI 90 E8147	3000K 2484 lm	diffused	Non-dim ID-S (integral) 120/277V
Rose G. CRI 90 E8148			
Bl. Nic. CRI 90 E8149			

REMOTE POWER SUPPLY:



type	color	optics
Black CRI 90 E8147	3000K 2484 lm	diffused
Rose G. CRI 90 E8148		
Bl. Nic. CRI 90 E8149		

power supply options (remote only)

ECO30W-250

0-10V EldoLED
ECOdrive 30W,
for 1 fixture