


Archiline_I | Linear profiles | 120-277V | powerLED | Wet location | Integral Driver | Walk over | 13.4W/ft



13.2W

Steel	On/Off	E92124	2700K 1686 lm	M	Narrow Spot	08
			3000K 1686 lm	N	Spot	15
			4000K 1806 lm	N	Medium Flood	30
					Flood	60
					Elliptic	25
					Asymmetric	27


6 LEDs

Installation accessories



E98671

Outer casing



19.8W AC

Steel	On/Off	E92125	2700K 2529 lm	M	Narrow Spot	08
			3000K 2529 lm	N	Spot	15
			4000K 2709 lm	N	Medium Flood	30
					Flood	60
					Elliptic	25
					Asymmetric	27


12 LEDs

Installation accessories



E98672

Outer casing



39.6W

Steel	On/Off	E92126	2700K 5058 lm	M	Narrow Spot	08
			3000K 5058 lm	N	Spot	15
			4000K 5418 lm	N	Medium Flood	30
					Flood	60
					Elliptic	25
					Asymmetric	27

18 LEDs

Installation accessories




E98673

Outer casing

Cables On/Off

E99057	E98147	E98146
78.7 in power supply cable F 3 pin	196.9 in extension M+F 3 pin	393.7 in extension M+F 3 pin

Archiline_I Anti-glare | Linear profiles | 120-277V | powerLED | Wet location | Integral Driver | Walk over | 13.41W/ft



12.1W

Steel On/Off **E92046**

2700K	1716 lm	M	Spot	15
3000K	1716 lm	N	Medium Flood	30
4000K	1837 lm	N	Flood	60
			Elliptic	25


11 LEDs

Installation accessories



E98671

Outer casing



19.8W

Steel On/Off **E92047**

2700K	2808 lm	M	Spot	15
3000K	2808 lm	N	Medium Flood	30
4000K	3006 lm	N	Flood	60
			Elliptic	25


18 LEDs

Installation accessories



E98672

Outer casing



39.6W

Steel On/Off **E92048**

2700K	5616 lm	M	Spot	15
3000K	5616 lm	N	Medium Flood	30
4000K	6012 lm	N	Flood	60
			Elliptic	25

36 LEDs

Installation accessories




E98673

Outer casing

Cables On/Off

E99057	E98147	E98146
78.7 in power supply cable F 3 pin	196.9 in extension M+F 3 pin	393.7 in extension M+F 3 pin

Archiline_I RGBW DMX | Linear profiles | powerLED | Wet location | Driver remote | Walk over | 14.9W/ft



13.2W CRI80

Steel **E92080**

3 x 4 LEDs

RGBW natural white **Q**

RGBW warm white **V**

Spot **15**

Medium Flood **30**

Flood **60**

Elliptic **25**


Asymmetric **27**

Installation accessories



E98671

Outer casing



22W CRI80

Steel **E92081**

5 x 4 LEDs

RGBW natural white **Q**

RGBW warm white **V**

Spot **15**

Medium Flood **30**

Flood **60**

Elliptic **25**


Asymmetric **27**

Installation accessories



E98672

Outer casing



44W CRI80

Steel **E92082**

10 x 4 LEDs

RGBW natural white **Q**

RGBW warm white **V**

Spot **15**

Medium Flood **30**

Flood **60**

Elliptic **25**

Asymmetric **27**

Installation accessories



E98673

Outer casing

Power supply options (remote only)

PWR50W - 350

DMX driver,
EldoLED POWERdrive 50W Factory pre-programmed or RDM
programmable, DMX control not included/Ordered separately
50W for 1 Fixture

Cables power+DMX


E98662

39.4 in
extension
all in one
power + DMX
M+F 6 pin shield

E98663

196.9 in
extension
all in one
power + DMX
M+F 6 pin shield

Archiline PRO_I | Linear profiles | powerLED | Wet location | Driver remote | Drive over | 30.5W/ft



45.5 W CRI80

Steel	E81673	2700K	5243 lm	M	Spot	15
9 LEDs		3000K	5243 lm	W	Flood	30
		4000K	5660 lm	N	Medium Flood	60
					Elliptic	25

Steel	E81677	2700K	5243 lm	M	Narrow Spot	06
9 LEDs		3000K	5243 lm	W		
		4000K	5660 lm	N		

Installation accessories



99771
Outer casing

Power supply options (remote only)


SOLO100W-380

0-10V EldoLED ECOdriver 50W for1 fixture

Cables On/Off

E99057	E98147	E98146
78.7 in power supply cable F 3 pin	196.9 in extension M+F 3 pin	393.7 in extension M+F 3 pin

Archiline PRO_I RGBW DMX | Linear profiles | powerLED | Wet location | Driver remote | Drive over | 30.5W/ft



45.5W CRI80


Steel	E81675	RGBW natural white	Q	Spot	15
	9 LEDs	RGBW warm white	V	Flood	30
				Flood	60
				Elliptic	25

Steel	E81679	RGBW natural white	Q	Narrow Spot	06
	9 LEDs	RGBW warm white	V		

Installation accessories



E99771
Outer casing



84W CRI80

Steel	E81676	RGBW natural white	Q	Spot	15
	18 LEDs	RGBW warm white	V	Flood	30
				Flood	60
				Elliptic	25

Steel	E81680	RGBW natural white	Q	Narrow Spot	06
	18 LEDs	RGBW warm white	V		

Installation accessories



E99772
Outer casing

Power supply options (remote only)

PWR50W - 630

DMX driver,
EldoLED POWERdrive 50W Factory pre-programmed or RDM
programmable, DMX control not included/Ordered separately
50W for 1 Fixture

Cables power+DMX

E98662	E98663
39.4 in extension all in one power + DMX M+F 6 pin shield	196.9 in extension all in one power + DMX M+F 6 pin shield