

bond PRO



Bond PRO is designed to fit in with its environment. It's discreetly elegant, yet won't pass unnoticed. The head screens the light source completely for maximum visual comfort.

Materials

Polyester powder-coated aluminum body with protective surface treatment
Opalescent white polyethylene diffuser



bond PRO lighting concept


Ergonomic design

The light source in the top of the bollard is screened by the circular flange to create a total cutoff, so that the light is never invasive and fits perfectly with its environment.


The light emitted illuminates the portion of the area below. The Bond PRO range offers three different sizes that allow the product to be declined in a variety of application contexts.




E81099W00



E81107W00



Bond_PRO | Bollards | topLED | Wet location | Driver remote | 10.8W



12 W - CRI 80

Black	E81098	3000 K	1350 lm	W	General	00
DarkBrown	E81099	4000 K	1460 lm	N		
Steel	E81100					
Grey	E81097					

Power supply options (remote only)


ECO30W-300	SOLO50W-300	SOLO100W-300
0-10V EldoLED ECOdrive 30W for 1 fixture	0-10V EldoLED SOLOdrive 50W for 1-2 fixtures	0-10V EldoLED SOLOdrive 100W for 1-4 fixtures

Accessories



E14931
Anchor Bolts

Bond_PRO | Bollards | topLED | Wet location | Driver remote | 10.8W



12 W - CRI 80

Black	E81102	3000 K	1350 lm	W	General	00
DarkBrown	E81103	4000 K	1460 lm	N		
Steel	E81104					
Grey	E81101					

Power supply options (remote only)


ECO30W-300	SOLO50W-300	SOLO100W-300
0-10V EldoLED ECOdrive 30W for 1 fixture	0-10V EldoLED SOLOdrive 50W for 1-2 fixtures	0-10V EldoLED SOLOdrive 100W for 1-4 fixtures

Accessories



E14931
Anchor Bolts

Bond_PRO | Bollards | topLED | Wet location | Driver remote | 10.8W



12 W - CRI 80

Black	E81106	3000 K	1350 lm	W	General	00
DarkBrown	E81107	4000 K	1460 lm	N		
Steel	E81108					
Grey	E81105					

Power supply options (remote only)

ECO30W-300	SOLO50W-300	SOLO100W-300
0-10V EldoLED ECOdrive 30W for 1 fixture	0-10V EldoLED SOLOdrive 50W for 1-2 fixtures	0-10V EldoLED SOLOdrive 100W for 1-4 fixtures

Accessories



E14931
Anchor Bolts

