

dans




A drive-over driveway light with a prismatic tempered glass protector for added reliability, plus the patented AquaStop® anti-aspiration system protecting against water and humidity. Dans produces a ground-hugging light without glare.

Materials
Aluminum body
Tempered prismatic glass diffuser



Dans_1 | Drive-over spotlights | powerLED | Wet location | Driver remote | Drive over | 2W 630mA



CRI 80

Grey	E86096	3000 K	219 lm	W	Wide Flood	18
		4000 K	233 lm	N		


Power supply options (remote only)

Recessed casing

ECO30W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED ECOdrive 30W for 1-10 fixtures	0-10V EldoLED SOLOdrive 50W for 1-16 fixtures	0-10V EldoLED SOLOdrive 100W for 1-32 fixtures

 659
E84936

Dans_2 | Drive-over spotlights | powerLED | Wet location | Driver remote | Drive over | 2W 630mA



CRI 80

Grey	E86100	3000 K	219 lm	W	Wide Flood	18
		4000 K	233 lm	N		


Power supply options (remote only)

Recessed casing

ECO30W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED ECOdrive 30W for 1-10 fixtures	0-10V EldoLED SOLOdrive 50W for 1-16 fixtures	0-10V EldoLED SOLOdrive 100W for 1-32 fixtures

 659
E84936

Dans_4 | Drive-over spotlights | powerLED | Wet location | Driver remote | Drive over | 2W 630mA



CRI 80

Grey	E86104	3000 K	219 lm	W	Wide Flood	18
		4000 K	233 lm	N		


Power supply options (remote only)

Recessed casing

ECO30W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED ECOdrive 30W for 1-10 fixtures	0-10V EldoLED SOLOdrive 50W for 1-16 fixtures	0-10V EldoLED SOLOdrive 100W for 1-32 fixtures

 659
E84936

Dans_1 | Drive-over spotlights | powerLED | Wet location | Driver remote | Drive over | 2W 630mA



CRI 80

Grey	E86097	3000 K	219 lm	W	Wide Flood	18
		4000 K	233 lm	N		

Power supply options (remote only)


Recessed casing

ECO30W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED ECOdrive 30W for 1-10 fixtures	0-10V EldoLED SOLOdrive 50W for 1-16 fixtures	0-10V EldoLED SOLOdrive 100W for 1-32 fixtures

 659

E84935

Dans_2 | Drive-over spotlights | powerLED | Wet location | Driver remote | Drive over | 2W 630mA



CRI 80

Grey	E86101	3000 K	219 lm	W	Wide Flood	18
		4000 K	233 lm	N		

Power supply options (remote only)


Recessed casing

ECO30W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED ECOdrive 30W for 1-10 fixtures	0-10V EldoLED SOLOdrive 50W for 1-16 fixtures	0-10V EldoLED SOLOdrive 100W for 1-32 fixtures

 659

E84935

Dans_4 | Drive-over spotlights | powerLED | Wet location | Driver remote | Drive over | 2W 630mA



CRI 80

Grey	E86105	3000 K	219 lm	W	Wide Flood	18
		4000 K	233 lm	N		

Power supply options (remote only)


Recessed casing

ECO30W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED ECOdrive 30W for 1-10 fixtures	0-10V EldoLED SOLOdrive 50W for 1-16 fixtures	0-10V EldoLED SOLOdrive 100W for 1-32 fixtures

 659

E84935

Dans_1 | Drive-over spotlights | arrayLED | Wet location | Driver remote | Drive over | 6W 630mA



CRI 80

Grey	E91422	3000 K	685 lm	W	Wide Flood	18
		4000 K	739 lm	N		


Power supply options (remote only)

Recessed casing

EC030W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED EC0drive 30W for 1-3 fixtures	0-10V EldoLED SOLOdrive 50W for 1-6 fixtures	0-10V EldoLED SOLOdrive 100W for 1-12 fixtures

 **E98121**

Dans_2 | Drive-over spotlights | arrayLED | Wet location | Driver remote | Drive over | 6W 630mA



CRI 80

Grey	E91423	3000 K	685 lm	W	Wide Flood	18
		4000 K	739 lm	N		


Power supply options (remote only)

Recessed casing

EC030W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED EC0drive 30W for 1-3 fixtures	0-10V EldoLED SOLOdrive 50W for 1-6 fixtures	0-10V EldoLED SOLOdrive 100W for 1-12 fixtures

 **E98121**

Dans_4 | Drive-over spotlights | arrayLED | Wet location | Driver remote | Drive over | 6W 630mA



CRI 80

Grey	E91424	3000 K	685 lm	W	Wide Flood	18
		4000 K	739 lm	N		


Power supply options (remote only)

Recessed casing

EC030W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED EC0drive 30W for 1-3 fixtures	0-10V EldoLED SOLOdrive 50W for 1-6 fixtures	0-10V EldoLED SOLOdrive 100W for 1-12 fixtures

 **E98121**

Dans_1 | Drive-over spotlights | arrayLED | Wet location | Driver remote | Drive over | 6W



CRI 80

Grey	E91425	3000 K	685 lm	W	Wide Flood	18
		4000 K	739 lm	N		


Power supply options (remote only)

ECO30W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED ECOdrive 30W for 1-3 fixtures	0-10V EldoLED SOLOdrive 50W for 1-6 fixtures	0-10V EldoLED SOLOdrive 100W for 1-12 fixtures

Recessed casing

 659
E98122

Dans_2 | Drive-over spotlights | arrayLED | Wet location | Driver remote | Drive over | 6W



CRI 80

Grey	E91426	3000 K	685 lm	W	Wide Flood	18
		4000 K	739 lm	N		


Power supply options (remote only)

ECO30W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED ECOdrive 30W for 1-3 fixtures	0-10V EldoLED SOLOdrive 50W for 1-6 fixtures	0-10V EldoLED SOLOdrive 100W for 1-12 fixtures

Recessed casing

 659
E98122

Dans_4 | Drive-over spotlights | arrayLED | Wet location | Driver remote | Drive over | 6W



CRI 80

Grey	E91427	3000 K	685 lm	W	Wide Flood	18
		4000 K	739 lm	N		

Power supply options (remote only)

ECO30W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED ECOdrive 30W for 1-3 fixtures	0-10V EldoLED SOLOdrive 50W for 1-6 fixtures	0-10V EldoLED SOLOdrive 100W for 1-12 fixtures

Recessed casing

 659
E98122