

tee







Orientable and with variable optics, Tee projectors are conceived to be installed on shop windows and many other supports: its small dimensions, the three stem heights and various accessories make these spotlights suitable for any environment.

Materials

Aluminum body



Tee_1 | Movable Spotlight | powerLED | Driver remote | Tilttable | 1W 350mA



H. 0.9 in - CRI 80

White	E90503	3000 K	146 lm	W	Adjust. 13° - 43° 85
Black	E90504	3500 K	146 lm	T	
Chrome	E90505	4000 K	156 lm	N	
Nickel	E90506	5000 K	166 lm	C	

H. 3.94 in - CRI 80

White	E90499	3000 K	146 lm	W	Adjust. 13° - 43° 85
Black	E90500	3500 K	146 lm	T	
Chrome	E90501	4000 K	156 lm	N	
Nickel	E90502	5000 K	166 lm	C	





H. 11.81 in - CRI 80

White	E90495	3000 K	146 lm	W	Adjust. 13° - 43° 85
Black	E90496	3500 K	146 lm	T	
Chrome	E90497	4000 K	156 lm	N	
Nickel	E90498	5000 K	166 lm	C	

Power supply options (remote only)

ECO30W-350	SOLO50W-350	SOLO100W-350
0-10V EldoLED ECOdrive 30W for 1-10 fixtures	0-10V EldoLED SOLOdrive 50W for 1-20 fixtures	0-10V EldoLED SOLOdrive 100W for 1-40 fixtures

Tee_2 | Movable Spotlight | powerLED | Driver remote | Tilttable | 2W 630mA



H. 0.9 in - CRI 80

White	E90515	3000 K	233 lm	W	Adjust. 13° - 53° 85
Black	E90516	3500 K	233 lm	T	
Chrome	E90517	4000 K	249 lm	N	
Nickel	E90518	5000 K	266 lm	C	

H. 3.94 in - CRI 80

White	E90511	3000 K	233 lm	W	Adjust. 13° - 53° 85
Black	E90512	3500 K	233 lm	T	
Chrome	E90513	4000 K	249 lm	N	
Nickel	E90514	5000 K	266 lm	C	

H. 11.81 in - CRI 80


White	E90507	3000 K	233 lm	W	Adjust. 13° - 53° 85
Black	E90508	3500 K	233 lm	T	
Chrome	E90509	4000 K	249 lm	N	
Nickel	E90510	5000 K	266 lm	C	

Power supply options (remote only)

ECO30W-630	SOLO50W-630	SOLO100W-630
0-10V EldoLED ECOdrive 30W for 1-10 fixtures	0-10V EldoLED SOLOdrive 50W for 1-16 fixtures	0-10V EldoLED SOLOdrive 100W for 1-32 fixtures



technical information

Tee | Fixing accessory with springs for recessed installation





White	E98972
Black	E98973
Chrome	E98974
Nickel	E98975

Tee | Accessory with threaded pin for recessed installation




White	E98980
Black	E98981
Chrome	E98982
Nickel	E98983

Tee_1 & Tee_2 | Accessory with fixing screws for surface installation



White	E98976
Black	E98977
Chrome	E98978
Nickel	E98979

Tee_1 & Tee_2 | Driver-holder base for ceiling-mounted installation (driver excluded)



White	E99503
Black	E99504
Chrome	E99505
Nickel	E99506

technical
information