

SUELO



SUELO, DESIGN AND INSTALLATION, EVERYTHING JUST GOT SIMPLER

VAST RANGE

Suelo is a family of recessed luminaires that includes a broad selection of specialty optics in multiple sizes and outputs which makes it possible to find the perfect solution for almost any outdoor application


RECESSED UPLIGHTS



The range


The Suelo family offers a variety of solutions for every design need: fixed and swivel versions, small-flanged semi-flush-mount uplights, and 0-10V dimming. There are pro models with recessed optics and RGBW sources, and beam control filters. All models have exclusive AquaStop® protection systems, and there are versions with 24-volt cable converters.

Suelo can be used with a honeycomb filter, which screens secondary light and reduces glare, maintaining a high-quality diffuse light. A darklight filter directs the illumination onto one part of the wall by sectioning one part of the beam, and prevents glare even close to the source. For full beam control and a drastically reduced glare risk, choose the Suelo PRO versions, in which the recessed source increases the screening angle, totally skimming off the secondary beam to give a cleaner, more concentrated and efficient light.




Performance and control

There are several beam spreads to choose from, three color temperatures including warm light at 2700 and 3000K, and daylight at 4000K. The uniquely wide spectrum of optics includes an elliptic, some very narrow beams, some of them unique to the market, and an asymmetric wall washer for homogeneous and deep wash.



SUELO PRO Fixed Optics



SUELO Dual Optic Adjustable Vandal Resistant



SUELO range

									
	SUELO Fixed Optics SUR-SFST-F	SUELO Fixed Frosted SUR-SFST-FR	SUELO Fixed Wall Washer SUR-SFST-WW	SUELO Fixed RGBW SUR-SFST-F	SUELO PRO Fixed Optics SUP-SFST-F	SUELO PRO Fixed Frosted SUP-SFST-FR	SUELO Adjustable Optics SUR-SFST-A	SUELO Fixed Optics Vandal Resistant SUR-SFSTVR-F	SUELO Fixed Wall Washer Vandal Resistant SUR-SFSTVR-WW
2W - 2.5W	Ø1.2"	Ø1.2"	-	-	Ø1.4" ¹	Ø1.4" ¹	-	-	-
4W - 5W	Ø2.5" ¹	Ø2.5" ¹	Ø2.5" ¹	-	Ø2.5" ¹	-	Ø2.5" ¹	-	-
7W	Ø3.6" ¹	Ø3.6" ¹	Ø3.6" ¹	-	Ø3.6" ¹	-	Ø3.6" ¹	-	-
8W - 9W	-	-	-	Ø3.6" ¹	-	-	-	Ø4.4" ¹	Ø4.4" ¹
12W	-	-	-	-	-	-	-	-	-
13W	-	-	-	-	-	-	-	Ø6.7" ¹	Ø6.7" ¹
14W	-	-	-	-	-	-	-	-	-
15W	-	-	-	-	-	-	-	-	-
16W	-	-	-	-	-	-	-	-	-
24W - 26W	-	-	-	-	-	-	-	-	-
30W - 34W	-	-	-	-	-	-	-	Ø9.1"	Ø9.1"
37W - 42W	-	-	-	-	-	-	-	-	-
Finish	Steel Alu Brass Alu	Steel Alu Brass Alu	Steel Alu Brass Alu	Steel Alu Brass Alu	Steel Alu Brass Alu	Steel Alu Brass Alu	Steel Alu Brass Alu	Steel Alu Brass Alu	Steel Alu Brass Alu
Options	HC	-	-	-	HC DL	-	-	HC DL	-
CCT	2700K 3000K 4000K	2700K 3000K 4000K	2700K 3000K 4000K	RGBW-3000K RGBW-4000K	2700K 3000K 4000K	2700K 3000K 4000K	2700K 3000K 4000K	2700K 3000K 4000K	2700K 3000K 4000K
Optics	Narrow Spot Spot Narrow Flood Flood Wide Flood Elliptic	General Illumination	Asymm. Wall Washer	Narrow Spot Spot Narrow Flood Med. Wide FL	Narrow Spot Spot Narrow Flood Flood Wide Flood Elliptic	General Illumination	Narrow Flood Flood Wide Flood	Narrow Spot Spot Flood Wide Flood Elliptic	Asymm. Wall Washer
Driver 	Remote 0-10V	Remote 0-10V	Remote 0-10V	Remote DMX (RGBW)	Remote 0-10V	Remote 0-10V	Remote 0-10V	Remote 0-10V (4.4")	Remote 0-10V (4.4")
Driver 	-	-	-	-	-	-	-	Integral On/Off (6.7") 0-10V (9.1")	Integral On/Off (6.7") 0-10V (9.1")
Operation	C.C. C.V.	C.C. C.V.	C.C. C.V.	CCDMX	C.C. C.V.	C.C. C.V.	C.C. C.V.	CC CV IND ID	CC CV IND ID

¹ Brass coming soon

							
	SUELO Fixed RGBW Vandal Resistant SUR-SFSTVR-F	SUELO PRO Fixed Optics Vandal Resistant SUP-SFSTVR-F	SUELO PRO Fixed Frosted Vandal Resistant SUP-SFSTVR-F	SUELO PRO Fixed Wall Washer Vandal Resistant SUP-SFSTVR-WW	SUELO Adjustable Optics Vandal Resistant SUR-SFSTVR-A	Suelo Dual Optic Adjustable Vandal Resistant SUD-SFSTVR-A	Suelo Telescopic SUT-SRDBVR-F
2W - 2.5W	-	Ø2" ¹	Ø2" ¹	-	-	-	-
4W - 5W	-	-	-	-	-	-	-
7W	-	-	-	-	-	-	-
8W - 9W	Ø4.4" ¹	Ø4.4" ¹	-	-	Ø4.4" ¹	-	-
12W	-	-	-	-	-	-	-
13W	-	-	-	-	Ø6.7" ¹	-	-
14W	-	-	-	-	-	Ø6.7" ¹	Ø7.9"
15W	-	Ø6.7" ¹	-	Ø6.7" ¹	-	-	-
16W	Ø6.7" ¹	-	-	-	-	-	-
24W - 26W	-	-	-	-	-	Ø9.1"	Ø7.9"
30W - 34W	Ø9.1"	-	-	-	Ø9.1"	-	-
37W - 42W	-	-	-	-	-	-	-
Finish	Steel Alu Brass Alu	Steel Alu Brass Alu	Steel Alu Brass Alu	Steel Alu Brass Alu	Steel Alu Brass Alu	Steel Alu Brass Alu	DarkBrown
Options	-	HC DL	HC	-	-	-	-
CCT	RGBW-3000K RGBW-4000K	2700K 3000K 4000K	2700K 3000K 4000K	2700K 3000K 4000K	2700K 3000K 4000K	2700K 3000K 4000K	2700K 3000K 4000K
Optics	Narrow Spot Spot Flood Med. Wide FL Wide Flood	Narrow Flood Spot Flood Wide Flood	General Illumination	Asymm. Wall Washer	Spot Narrow Flood Flood Med. Wide FL Wide Flood	Spot Flood Wide Flood	Spot Flood Wide Flood
Driver 	Remote DMX (RGBW)	Remote 0-10V	Remote 0-10V	-	Remote 0-10V (4.4")	-	-
Driver 	-	Integral On/Off	-	Integral On/Off	Integral On/Off (6.7") 0-10V (9.1")	Integral On/Off (6.7") 0-10V (9.1")	Integral On/Off
Operation	CCDMX	CC CV IND	C.C. C.V.	IND	C.C. C.V. ID	IND ID	IND



inter•lux

inter-lux.com